

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan


“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”


IS 10950 (1984): Phenthoate Dusting Powders [FAD 1:
Pesticides and Pesticides Residue Analysis]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 10950 - 1984

Indian Standard

**SPECIFICATION FOR
PHENTHOATE DUSTING POWDERS**

UDC 632'951 PHE



© Copyright 1984

**INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002**

Gr 2

August 1984

Indian Standard

SPECIFICATION FOR PHENTHOATE DUSTING POWDERS

Pest Control Sectional Committee, AFDCD 6

<i>Chairman</i>	<i>Representing</i>
DR K. D. PAHARIA	Directorate of Plant Protection, Quarantine & Storage (Ministry of Agriculture), Faridabad
 <i>Members</i>	
DR P. K. AGGARWAL	IDMA Laboratories, Chandigarh
DR S. R. IYENGAR (<i>Alternate</i>)	Pesticides Residue Analysis Sectional Committee, (AFDC 56), ISI
DR H. L. BAMI	Tea Research Association, Jorhat
DR B. BANERJEE	
DR G. SATYANARAYANA (<i>Alternate I</i>)	
SHRI S. C. DAS (<i>Alternate II</i>)	
SHRI N. S. BIRDIE	Shriram Test House, Delhi
SHRI R. K. BANERJEE (<i>Alternate</i>)	
CHIEF PLANT PROTECTION OFFICER	Department of Agriculture, Government of Maharashtra, Bombay
 CHEMIST INCHARGE, INSECTICIDES TESTING LABORATORY (<i>Alternate</i>)	
DR M. S. DHATT	National Malaria Eradication Programme, Delhi
SHRI V. DORAIRAJ	Plastic Containers Sectional Committee (MCPD 11), ISI
SHRI G. D. GOKHALE	Bombay Chemicals Private Limited Bombay
SHRI V. V. KETKAR (<i>Alternate</i>)	
SHRI N. L. KALRA	National Institute of Communicable Diseases, Delhi
SHRI G. C. JOSHI (<i>Alternate</i>)	
DR R. L. KALRA	Punjab Agricultural University, Ludhiana
DR R. P. CHAWLA (<i>Alternate</i>)	
DR KALYAN SINGH	Chander Shekhar Azad University of Agriculture & Technology, Kanpur
DR S. K. KASHYAP	National Institute of Occupational Health (ICMR), Ahmadabad
DR S. K. GUPTA (<i>Alternate</i>)	

(Continued on page 2)

© Copyright 1984

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SRI S. G. KRISHNAN	National Organic Chemical Industries Limited, Bombay
DR J. S. VERMA (Alternate)	
SRI J. K. KHOSLA	Metal Containers Sectional Committee (MCPD 12), ISI
SRI A. N. BHATTACHARYYA (Alternate)	
DR S. LAKSHMANAN	Paper and Flexible Packaging Sectional Committee (MCPD 14), ISI
DR J. C. MAJUMDAR	BASF India Limited, Bombay
DR B. P. CHANDRASEKHAR (Alternate)	
SRI S. K. MAJUMDAR	Central Food Technological Research Institute (CSIR), Mysore
SRI M. Muthu (Alternate)	
SRI K. S. MEHTA	Bharat Pulverising Mills Private Limited, Bombay
SRI S. CHATTERJEE (Alternate)	
SRI L. S. MIRLE	Agromore Limited, Bangalore
SRI S. K. RAMAN (Alternate)	
SRI J. M. MODI	Pesticides Formulators Association of India (S.S.I.), Bombay
DR S. R. BAROOAH (Alternate)	
DR S. K. MUKHERJEE	Agricultural Chemicals Division, Indian Agricultural Research Institute (ICAR), New Delhi
DR N. K. ROY (Alternate)	
SRI K. RAJENDRAN NAIR	Central Insecticides Cell, Directorate of Plant Protection, Quarantine & Storage (Ministry of Agriculture), Faridabad
DR R. C. GUPTA (Alternate I)	
SRI S. K. GHOSH (Alternate II)	
SRI P. V. NARAYANAN	Indian Institute of Packaging, Bombay
SRI K. B. GUPTA (Alternate)	
DR V. N. NIGAM	Ministry of Defence (DGI)
SRI M. M. PADALIA	Department of Agriculture, Government of Gujarat, Ahmadabad
SRI R. G. JADEJA (Alternate)	
SRI A. R. PANICKER	Hindustan Insecticides Limited, New Delhi
DR S. N. DESHMUKH (Alternate)	
SRI Y. A. PRADHAN	Rallis India Limited, Bombay
SRI M. L. SHAH (Alternate)	
DR R. L. RAJAK	Central Insecticide Laboratory, Directorate of Plant Protection, Quarantine & Storage (Ministry of Agriculture), Faridabad
SRI V. C. BHARGAVA (Alternate I)	
DEPUTY DIRECTOR (PR & QC) (Alternate II)	
REPRESENTATIVE	Department of Agriculture, Government of Andhra Pradesh, Hyderabad
DR K. D. SHARMA	Directorate General of Technical Development, New Delhi
SRI S. C. BAJAJ (Alternate)	
DR K. N. SHRIVASTAVA	Pesticides Association of India, New Delhi
DR J. C. MAJUMDAR (Alternate)	

(Continued on page 7)

AMENDMENT NO. 1 JULY 1994
TO
IS 10950 : 1984 SPECIFICATION FOR PHENTHOATE
DUSTING POWDERS

(Page 6, ~~clause~~ 4.1) — Substitute the following for the existing:

‘When **freshly** manufactured material in bulk quantity is offered for inspection, representative samples of the material shall be drawn and tested as prescribed in IS 10627 : 1983 within 90 days of its manufacture. When the material is offered for inspection **after** 90 days of its manufacture, sampling shall be **done as** prescribed in IS 10627 : 1983. However, the criteria for conformity of the material when tested, shall be the limits of tolerances, as applicable over the declared nominal value and given under clause 2.3 of the standard.’

(FAD 1)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR PHENTHOATE DUSTING POWDERS

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 29 June 1984, after the draft finalized by the Pest Control Sectional Committee had been approved by the Agricultural and Food Products Division Council and the Chemical Division Council.

0.2 Phenthoate dusting powder formulations are used in the control of insect pests of agricultural crops.

0.3 Phenthoate dusting powder are generally manufactured to contain 2 percent (*m/m*) of phenthoate.

0.4 In the preparation of this standard, due consideration has been given to the provisions of the *Insecticides Act, 1968* and the Rules framed thereunder. However, this standard is subject to the restrictions imposed under these, wherever applicable.

0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS : 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes the requirements and the methods of sampling and test for phenthoate dusting powders.

2. REQUIREMENTS

2.1 Description — The material shall be in the form of homogeneous powder. It shall be free-flowing and devoid of lumps. Phenthoate, technical used in its manufacture shall have been uniformly mixed in suitable fillers, such as talc or pyrophyllite. The material when dusted from a hand rotary duster, shall issue freely without clogging or bridging.

*Rules for rounding off numerical values (revised).

2.1.1 Phenthoate, technical employed in the manufacture of dusting powder formulations shall conform to IS : 8293-1976*.

2.2 The material shall also comply with the requirements given in Table 1.

TABLE 1 REQUIREMENTS FOR PHENTHOATE DUSTING POWDERS

Sl. No.	CHARACTERISTIC	REQUIREMENT	METHOD OF TEST, REF TO	
			Appendix of IS : 8293-1976*	Cl No. of IS : 6940-1982†
(1)	(2)	(3)	(4)	(5)
i)	Phenthoate content, percent by mass	Nominal value as declared on the container (see 2.3)	A (see also 5.1.1 of this standard)	—
ii)	Sieving requirement, material passing through 75-micron IS Sieve†, percent by mass, <i>Min</i>	90	—	12.1
iii)	Bulk density after compacting	Not to exceed the value obtained before compacting by more than 60 percent	—	12.2
iv)	Acidity (as H_2SO_4), percent by mass, <i>Max</i>	0.25	—	11.3
	or Alkalinity (as NaOH), percent by mass, <i>Max</i>	0.05	—	11.3

*Specification for phenthoate, technical.

†Methods of test for pesticides and their formulations (*first revision*).

‡See IS : 460 (Part 1)-1978 'Specification for test sieves: Part 1 Wire cloth test sieves (*second revision*)'. BS sieve 200, ASTM Sieve 200 and Tyler sieve 200 have their apertures within the limits specified for the above IS sieve and may therefore, be used as 75-micron IS Sieve.

2.3 Phenthoate Content — When determined by the method prescribed in Appendix A of IS : 8293-1976*, the observed phenthoate content, percent

*Specification for phenthoate, technical.

by mass of any of the samples shall not differ from the declared nominal value by more than the percent tolerance as indicated below:

Nominal Value, Percent	Tolerance, Percent	
Up to 9	+ 10 - 5	} of the nominal value
Above 9 and below 50	± 5	
50 and above	+ 5 - 3	

2.3.1 The actual value of the phenthoate content in the formulation shall be calculated to the second decimal place and then rounded off to first decimal place before applying the tolerances as stipulated in 2.3.

2.3.2 The average content of all samples taken shall not be lower than the declared nominal content.

3. PACKING AND MARKING

3.1 Packing — The material shall be packed in clean and dry containers made of mild steel or tinplate or fibre-board or double hessian jute bags (see IS : 8115-1976*) or DW tarpaulin laminated jute bags (see IS : 8117-1976†) or HDPE woven sacks [see IS : 8069 (Part 2)-1976‡]. The containers shall also comply with general requirements given in 2 of IS : 8190 (Part 1)-1980§.

3.2 Marking — The containers shall bear legibly and indelibly the following information and any other additional information required under the *Insecticides Act* and Rules:

- Name of the material;
- Name of the manufacturer;
- Batch number;
- Date of manufacture;
- Net mass of contents;
- Nominal phenthoate content, percent (m/m); and
- The minimum cautionary notice as worded in the *Insecticides Act* and Rules.

*Specification for double hessian jute bags for pesticides.

†Specification for DW tarpaulin laminated jute bags for pesticides.

‡Specification for High density polyethylene (HDPE) woven sacks for packing pesticides: Part 2 Woven bags.

§Requirements for packing of pesticides: Part 1 Solid pesticides (See notation).

3.2.1 Each container may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

4. SAMPLING

4.1 Representative samples of the material shall be drawn as prescribed in IS : 10627-1983*.

5. TESTS

5.1 Test shall be carried out by the methods as referred to in col 4 and 5 of Table 1.

5.1.1 For determination of phenthoate content, weigh accurately a sample containing about 0.5g of phenthoate. Extract in a Soxhlet apparatus using benzene as a solvent. After complete extraction, make up the volume to 25 ml in a volumetric flask and proceed as per Appendix A of IS : 8293-1976†.

5.2 Quality of Reagent — Unless specified otherwise, pure chemicals and distilled water (*see* IS : 1070-1977‡) shall be employed in tests.

NOTE — 'Pure chemical' shall mean chemicals that do not contain impurities which affect the results of analysis.

*Methods for sampling of pesticidal formulations.

†Specification for phenthoate, technical.

‡Specification for water for general laboratory use (*second revision*).

(Continued from page 2)

<i>Members</i>	<i>Representing</i>
DR K. N. SHRIVASTAVA	Shaw Wallace & Co Limited, Calcutta
SHRI R. N. ROYCHOWDHURY (<i>Alternate</i>)	
SHRI A. C. SHROFF	Excel Industries Limited, Bombay
SHRI P. V. KANGO (<i>Alternate</i>)	
DR K. SIVASANKARAN	Union Carbide (India) Limited, New Delhi
DR U. V. SINGH (<i>Alternate</i>)	
SHRI N. S. VENKATARAMAN	Department of Agriculture, Government of Tamil Nadu, Madras
DR R. V. VENKATARATNAM	Regional Research Laboratory (CSIR), Hyderabad
DR NAGABHUSHAN RAO (<i>Alternate</i>)	
DR SANTOSH YELLORE	Analytical Testing Services Pvt Ltd, New Delhi
DR D. B. ANANTHA NARAYANA (<i>Alternate</i>)	
SHRI T. PURNANANDAM,	Director General, ISI (<i>Ex-officio Member</i>)
Director (Agri & Food)	

Secretary

SHRI LAJINDER SINGH
Deputy Director (Agri & Food), ISI

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

Quantity	Unit	Symbol
Length	metre	m
Mass	kilogram	kg
Time	second	s
Electric current	ampere	A
Thermodynamic temperature	kelvin	K
Luminous intensity	candela	cd
Amount of substance	mole	mol

Supplementary Units

Quantity	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	sr

Derived Units

Quantity	Unit	Symbol	Definition
Force	newton	N	1 N = 1 kg.m/s ²
Energy	joule	J	1 J = 1 N.m
Power	watt	W	1 W = 1 J/s
Flux	weber	Wb	1 Wb = 1 V.s
Flux density	tesla	T	1 T = 1 Wb/m ²
Frequency	hertz	Hz	1 Hz = 1 c/s (s ⁻¹)
Electric conductance	siemens	S	1 S = 1 A/V
Electromotive force	volt	V	1 V = 1 W/A
Pressure, stress	pascal	Pa	1 Pa = 1 N/m ²

INDIAN STANDARDS INSTITUTION

Manek Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110 002

Telephones : 26 60 21, 27 01 31

Telegrams : Manakansetha

Regional Office

		Telephone
Western : Novelty Chambers, Grant Road	BOMBAY 400007	89 65 28
Eastern : 5 Chowringhee Approach	CALCUTTA 700072	27 50 90
Southern : C. I. T. Campus	MADRAS 600113	41 24 42
Northern : B69, Phase VII	S.A.S. NAGAR (MOHALI) 160081	878 28

Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur	AHMADABAD 380001	2 03 91
'F' Block, Unity Bldg, Nerasimharaja Square	BANGALORE 560002	22 48 08
Gangotri Complex, Bhadbhade Road, T. T. Nagar	BHOPAL 462003	6 27 16
22E Kalpana Area	BHUSANESHWAR 751014	6 38 27
5-8-86C L. N. Gupta Marg	HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme	JAIPUR 302008	6 88 32
117/418 B Sarvodaya Nagar	KANPUR 208005	4 72 92
Patliputra Industrial Estate	PATNA 800013	6 28 08
Hantex Bldg (2nd Floor) Rly Station Road	TRIVANDRUM 555001	33 27

Printed at S C Sharma Printers, New Delhi, India